
Marianist Environmental Education Center

St. Joseph Hall, Mount St. John 4435 F. Patterson Road

4435 E. Patterson Road Dayton, OH 45430-1095

937/429-3582

Restoring communities of land and people.



About our plants

With the exception of the six grass species with which we seeded the Bro. Don Geiger, SM Prairie in 1986, our plants originate from *local genotypes* - the genetically-distinct populations that have thrived in southwest Ohio since before European settlement. All are straight species (no "nativars") and were legally and ethically harvested right here in southwest Ohio. They have been hand-propagated at Mount Saint John for more than two decades in one of our region's oldest native plant nurseries. By purchasing our plants, you not only support our not-for-profit work to restore local habitats, but you also ensure our truly local plants continue to thrive in relationship with the local ecology.

All of our plants are perennials unless noted as self-seeding annuals or biennials. Nearly every plant in this catalog is a nectar or pollen plant for at least one species of butterfly. Butterfly icons () indicate *host plants*, which feed caterpillars and are crucial to pollinator population stability.

Our Friends of MEEC donors & volunteers may place pre-orders by Friday, June 7 for pickup at the sale or at a later time by arrangement. Join or renew online, or add a donation to your pre-order. If you need a pre-order form, visit https://meec.center.

Plant codes

The letters to the right of plant names indicates the probability a plant will be found in a wetland. A "+" indicates a higher probability, while a "-" indicates a lower probability.

- OBL = Obligate Wetland; Occurs almost always (99% probability) under natural conditions in wetlands.
- FACW = Facultative Wetland; Usually (67%-99% probability) occurs in wetlands.

- FAC = Facultative; Likely (34%-66% probability) to occur in both wetlands and non-wetlands.
- FACU = Facultative Upland; Usually (67%-99% probability) occurs in non-wetlands.
- UPL = Upland; Occurs almost always (99% probability) in non-wetlands.

Numbers represent Coefficients of Conservatism (CC), the probability that a plant found in nature will occur in a relatively unaltered landscape. A CC of 1 is given to plants that demonstrate little fidelity to any remnant natural community, and may be found almost anywhere. A CC of 10 is applied to plants that are almost always restricted to a high-quality remnant. Higher CC plants may be more particular about their location.

New to natives?

Native plant gardening is as much art as science, and the following tips will help you start on the road to success.

- Start off slowly. What seems like a modest project in spring can be overwhelming come summer or next spring. Start small, and make sure you can identify your new plants at all stages of their development.
- Spend time in preparation. Preparing a site is the least exciting but the most important step in a successful native garden. Make sure your site is free of weeds that may outcompete your natives as they establish.
- Don't forget grasses. While they may not be as showy as wildflowers in peak bloom, they provide important winter interest and can help wildflowers perform as desired by providing above- and below-ground competition.
- Consider cues of care. Using low-growing edge-plants, maintaining mowed margins, and installing signs, benches, and/or paths communicate to your neighbors that your garden is intentional.

WILDFLOWERS

NODDING PINK ALLIUM

[FACU], 5

Allium cernuum



Full sun-part shade, Dry-mesic Flowers July-Aug., 1-2 ft. tall, Under 1 ft. spread

A pollinator attractor, this plant is topped by rounded, nodding clusters of pale pink flowers for late summer color. Performs well as a border planting and tolerant of clay soils.

CANADA ANEMONE

FACW, 5

Anemone canadensis



Full sun-full shade, Mesic-wet Flowers May-June, 1-2 ft. tall, 3 ft. spread

Large 2" white blooms in late spring and foliage that adds interest throughout the seasons. The rhizomatous root system makes this a vigorous native plant ground cover. Growth is tempered in dry shade conditions.

WOODLAND THIMBLEWEED

FACU, 3

Anemone virginiana



Full sun-full shade, Dry-mesic Flowers July-Aug., 2-3 ft. tall, 1 ft. spread

Beautifully-veined dark green foliage creates an excellent ground cover for dry, shady spots with low fertility. It features numerous white blossoms on a tall spike and in the fall cottony seed heads appear.

INDIAN HEMP

FACU, 1

Apocynum cannabinum



Full sun-part shade, Dry-mesic Flowers June-July, 3-4 ft. tall, over 4 ft. spread

White, sweetly-fragrant flowers offer a great nectar source for early-mid summer pollinators. Fibrous roots and stems have been used to make cordage. Most appropriate in large landscape where roots may spread extensively.

WILD COLUMBINE



FAC, 6

Aquilegia canadensis



Full sun-full shade, Dry-mesic Flowers April-July, 1-2 ft. tall, 1 ft. spread

A food source for hummingbirds grown for both showy flowers and soft, green foliage. Blooms just as the woodland sping ephemerals are concluding their season. Tolerant of a wide range of soil moisture and light conditions.

SWAMP MILKWEED



Asclepias incarnata



Full sun-part shade, Mesic-wet Flowers July-Sept., 3-5 ft. tall, 1 ft. spread

Popular for wet areas, swamp milkweed is favored for its pink clusters of crown-shaped flowers. The favored milkweed host plant for monarchs and an important nectar source for a wide range of insects.

COMMON MILKWEED



FACU-, 1

OBL. 4

Asclepias syriaca



Full sun-part shade, Dry-mesic Flowers June-Aug., 2-5 ft. tall, over 4 ft. spread

Stunning clusters of fragrant, pale, purplish-pink flowers attract butterflies and beneficial insects. Seed pods add unusual late-fall interest. Rhizome spread can be extensive.

BUTTERFLY-WEED



[UPL], 4

Asclepias tuberosa



Full sun-part shade, Dry-mesic Flowers June-Sept., 1-3 ft. tall, 2 ft. spread

Emerging in late spring, butterfly-weed's bright orange flowers are worth the wait. Thrives in hot weather and dry, well-drained, sandy soil. Often blooms twice in a year if seed pods are not formed in the early summer flush.

WHORLED MILKWEED



[UPL], 4

Asclepias verticillata



Full sun-part shade, Dry-mesic Flowers July-Sept., 1-2 ft. tall, 2 ft. spread

RETURNING to sale! A fine-foliaged milkweed that flowers in white as other milkweeds fade. Pollinators will visit and monarchs will lay eggs on this species, too. Shallow rhizomous colonies grow well in infertile soils where plant competition is minimal.

BLUE FALSE INDIGO



Baptisia australis



Full sun-part shade, Dry-mesic Flowers May-June, 1-4 ft. tall, 2 ft. spread

A beautiful specimen plant favored for its blue-green foliage, purple-blue pea-like flowers. Showy, decorative, dark seed pods create late season interest. Slow growing but long-lived.

FACU. 8

Baptisia lactea



Full sun-part shade, Dry-mesic Flowers June-July, 2-5 ft. tall, 2 ft. spread

A terrific specimen plant with spikes of pea-like flowers and blue-green leaves that adds character to a garden well into the fall. Distinctive seed pods add to the beauty of this long-lived plant.

DOWNY WOODMINT

[UPL], 4

Blephilia ciliata



Full sun-part shade, Dry- mesic Flowers May - July, 1-3 ft. tall, 2 ft. spread

Whorls of lavendar flowers and aromatic dense gray green foliage makes this plant a good addition for dry shade areas attracting bees and butterflies. A fasting-growing, spreading plant that can been used as a groundcover.

HAIRY WOODMINT

FACU-, 4

Blephilia hirsuta



Full sun-full shade, Mesic Flowers June-July, 2-3 ft. tall, 1 ft. spread

White to light purple clustered flowers in tiers along the stem and a strong mint fragrance make this a popular plant for woodland gardens and edge habitats.

TALL BELLFLOWER

FAC, 4

Campanulastrum americanum



Part-full shade, Dry-mesic Flowers June-Sept., 2-4 ft. tall, 1 ft. spread

Biennial. A spike-like cluster of showy lavender-blue fivepetaled flowers with a distinctive protruding style adds color in the summer woodland and attracts hummingbirds. Thriving in rich moist open woods where it can self-sow freely.

TURTLEHEAD



OBL, 6

Chelone glabra



Full sun-part shade, Mesic-wet Flowers Aug.-Sept., 2-3 ft. tall, 1 ft. spread

Named for stunning bright white flowers shaped like a turtle's head late season. Blossoms are arranged in dense spikes at the top of the plant where they are pollinated by bumblebees. Grows best in moist soil.

PASTURE THISTLE



UPL, 4

Cirsium discolor



Full sun-part shade, Dry-mesic Flowers July-Oct., 3-8 ft. tall, 2 ft. spread

Biennial or short-lived perennial. A host for the painted lady butterfly. Help bring back our native thistles and be rewarded with summer-long pink blooms and pollinators galore. Distinct leaves are soft white underneath and deer resistant.

BLUE MISTFLOWER

FAC, 3

Conoclinium coelestinum



Full sun-part shade, Mesic-wet Flowers Aug.-Sept., 1-3 ft. tall, 2 ft. spread

An attractive late season perennial that bees and butterflies can't resist. Its bright blue-violet flower clusters have a fine-textured "misty" look. It prefers full sun but tolerates some shade. Once established it can spread by rhizomes.

TALL COREOPSIS

FAC, 5

Coreopsis tripteris



Full sun-part shade, Mesic-wet Flowers Aug.-Sept., 3-9 ft. tall, 2 ft. spread

Also known as tall tickseed, this plant is known for large, showy yellow flower heads and attractive divided foliage. A show-stopper for the back of your native landscape. Goldfinches will feast on the seeds in fall.

TALL LARKSPUR

[FACU], 7

Delphinium exaltatum



Full sun-part shade, Dry-mesic Flowers July-Aug., 3-4 ft. tall, 1 ft. spread

RETURNING to sale! This perennial is perfect for the woodland edge. Spikes of bluish purple-spurred flowers appear in summer to attract hummingbirds and butterflies. Deep grayish green-lobed foliage is not favored by deer.

PRAIRIE MIMOSA

FAC, 3

Desmanthus illinoensis



Full sun-part shade, Dry-mesic Flowers July-Aug., 2-4 ft. tall, 2 ft. spread

Favored for its soft, fern-like foliage and white stamens which resemble a starburst, this plant is rare in eastern prairies. Curved, wafer-shaped pods add winter interest. Also called prairie bundle-flower.

Dodecatheon meadia



Full sun-part shade, Dry-mesic Flowers April-May, 1-2 ft. tall, Under 1 ft. spread

A spring ephemeral with early-emerging, basal foliage and 1" white shootingstar-shaped, nodding blooms in spring. Protect flowering stalks from deer. This plant goes dormant shortly after so plant among summer or fall bloomers at the garden edge.

PURPLE CONEFLOWER

[UPL], 6

Echinacea purpurea



Full sun-part shade, Dry-mesic Flowers June-Sept., 3-4 ft. tall, 1 ft. spread

A perennial favored by gardeners, birds and bees. Purple flowers add color throughout the growing season, and as petals drop the cone-shaped seed head adds winter interest and a valuable seed source.

ROBIN'S-PLANTAIN

FACU. 5

Erigeron pulchellus



Full sun-part shade, Dry-mesic Flowers May-June, 0.5-2ft. Tall, 1 ft. spread

Late spring blooms of large white petals with a yellow center offer nectar and pollen just before the summer prairie plants erupt. Basal rosettes are stoloniferous and could work as a groundcover in well drained soils.

RATTLESNAKE-MASTER

FAC, 7

Eryngium yuccifolium



Full sun, Dry-mesic Flowers July-Sept., 3-4 ft. tall, 2 ft. spread

An excellent specimen plant with yucca-like leaves and unusual white flowers that resemble golf balls. Flowers attract a wide diversity of pollinators. Performs well in a variety of soils including clay.

BONESET

FACW+, 3

Eupatorium perfoliatum



Full sun-part shade, Mesic-wet Flowers July-Sept., 3-5 ft. tall, 2 ft. spread

Thrives in moist, sunny conditions. This relative of Joe Pye Weed is known for leaves that unite around the stem. White flower clusters are attractive to birds and butterflies.

FLOWERING SPURGE

Euphorbia corollata



Full sun-part shade, Dry-mesic Flowers June-Aug., 2-4 ft. tall, 2 ft. spread

Likened to baby's breath, airy white flowers appear for weeks during the summer. Tolerant of a wide range of soil and performs well in poor, droughty soils. Deer avoid the toxic leaves.

FLAT-TOPPED GOLDENROD

FAC, 2

[UPL], 4

Euthamia graminifolia



Full sun-part shade, Dry-wet Flowers Aug.-Sept., 2-4 ft. tall, 2 ft. spread

This attractive native goldenrod prefers moist soil, but is also drought tolerant and favored by pollinators. Many branches, each with a showy flower head in late summer. Spreads through rhizomes.

SPOTTED JOE-PYE WEED

FACW, 6

Eutrochium maculatum



Full sun-part shade, Mesic-wet Flowers July-Sept., 3-6 ft. tall, 2 ft. spread

Whorls of coarse, toothed leaves add texture, and grand umbrels of pink flowers are irresistable to butterflies. Perfect for rain gardens, stream banks or pond plantings.

PURPLE JOE-PYE WEED

FAC. 5

Eutrochium purpureum



Part-full shade, Dry-mesic Flowers July-Sept., 4-6 ft. tall, 2 ft. spread

Great for architectural height in your native plant garden. Showy and fragrant purple flower heads attract butterflies, and attractive seed heads persist into winter. Ideal for woodland edges. Also called Sweet Joe-Pye Weed.

QUEEN-OF-THE-PRAIRIE

FACW, 8

Filipendula rubra



Full sun-part shade, Mesic-wet Flowers June - July, 3-5 ft. tall, 1 ft. spread

A truly remarkable plant that lives up to its name and is easy to grow if you have plenty of room. It is topped by large plumes of pink flowers, tolerant of clay soils and not palatable to deer.

WILD GERANIUM FACU, 4

Geranium maculatum



Full sun-full shade, Dry-mesic Flowers April-May, 1-3 ft. tall, 1 ft. spread

A woodland spring bloomer with tolerance for full sun. It forms loose clusters of basal leaves that can act as ground cover. Showy pale-pink to lilac colored flowers attract butterflies and other pollinators.

HELEN'S FLOWER



Helenium autumnale



Full sun-part shade, Mesic-wet Flowers Aug.-Oct., 2-5 ft. tall, 1 ft. spread

A fall bloomer with distinctive yellow flowers. Makes a spectacular color combination in the fall when planted with New England aster. Contrary to its name, sneezeweed does not cause seasonal allergies.

ASHY SUNFLOWER

[UPL], 7

Helianthus mollis



Full sun-part shade, Dry-mesic Flowers Aug.-Sept., 2-4 ft. tall, 3 ft. spread

Large butter-yellow flower heads and distinctive clasping gray-green leaves are covered with fine hair and are drought tolerant. Best suited for large landscapes where it will form a colony.

SMOOTH OXEYE



[UPL], 5

Heliopsis helianthoides



Full sun-part shade, Dry-mesic Flowers June - Sept., 4-6 ft. tall, 1 ft. spread

Easy-to-grow, this wildflower races to maturity with a long bloom period and bright yellow flowers. Grows well in almost any soil and self-seeds readily. A host plant for painted ladies and checkerspots.

SWAMP ROSE-MALLOW

OBL. 4

Hibiscus moscheutos



Full sun-part shade, Mesic-wet Flowers July-Aug., 3-7 ft. tall, 2 ft. spread

Similar to halberd-leaved rose-mallow, but with white or pink flowers and a maroon eye. Attractive to pollinators, this plant is a great addition for a rain garden or pond edge.

FALSE BONESET

Kuhnia eupatorioides



Full sun-part shade, Dry-mesic Flowers Aug.-Sept., 1-3 ft. tall, 1 ft. spread

Lends interest to sunny locations with cream-colored flowers in late summer and early fall. A flowering companion for the flat-topped goldenrod. Visited by an array of insects.

ROUND-HEADED BUSH-CLOVER



FACU-, 5

[UPL], 7

Lespedeza capitata



Full sun-part shade, Dry-mesic Flowers Aug.-Sept., 2-4 ft. tall, 1 ft. spread

Small white flowers pack the rounded heads at the top of this drought tolerant plant. The mature dark brown seedheads add winter interest and food for birds.

NORTHERN BLAZING-STAR

[UPL], 6

Liatris scariosa



Full sun-part shade, Dry-mesic Flowers Aug.-Sept., 2-5 ft. tall, 1 ft. spread

Large, showy, button-like purple blooms add interest to the summer landscape. This blazingstar species is tough and adaptable, performing well in drier soils and more shade than its relatives.

SPIKED BLAZING-STAR

FAC+, 7

Liatris spicata



Full sun, Mesic-wet Flowers July-Aug., 2-5 ft. tall, 1 ft. spread

A gardener's favorite, this plant is topped by tall spikes of bright, bold purple flowers that bloom from the top down. Excellent for attracting butterflies and rare moths. Tolerant of clay soils.

CARDINAL-FLOWER

FACW+, 5

Lobelia cardinalis



Full sun-part shade, Mesic-wet Flowers July-Sept., 2-5 ft. tall, 1 ft. spread

Fire-red flowers that are stunning even at a distance attract hummingbirds and butterflies. Prefers moist soil and light shade but tolerates a wide-range of conditions. An instantly-recognizable classic native plant.

Lobelia siphilitica



Full sun-part shade, Mesic-wet Flowers July - Sept., 2-3 ft. tall, 1 ft. spread

A showy plant topped by deep blue 1" irregular flowers. Great for early fall color in combination with goldenrods. Rabbits and deer tend to leave the lobelia species alone.

SOLOMON'S PLUME

FACU-, 4

Maianthemum racemosum



Full sun-full shade, Dry-mesic Flowers May-June, 1-2 ft. tall, 1-2 ft. spread

Small white flower clusters appear at the terminal end of the leafy, arching flower stalk. Red berries with bown stripes form in the summer. Most commongly found as colonies at shady woodland edges, but tolerant of full sun too

MONKEY-FLOWER



OBL, 4

Mimulus ringens



Full sun-part shade, Mesic-wet Flowers June-Sept., 1-3 ft. tall, Under 1 ft. spread

Profuse bluish-purple 1" flowers grow in pairs along the stem of this late summer beauty. A great plant for moist areas. Blooms attract bumblebees and plants can host moth and butterfly species.

WILD BERGAMOT

UPL, 3

Monarda fistulosa



Full sun-part shade, Dry-mesic Flowers July-Sept., 2-4 ft. tall, 2 ft. spread

Another favorite of prairie gardeners and herb enthusiasts, this member of the mint family produces dense, rounded clusters of tube-shaped light purple flowers. Will grow near black walnut trees and is not palatable to deer.

DOTTED HORSEMINT

UPL, 7

Monarda punctata



Full sun-part shade, Dry Flowers July-Sept., 1-2 ft. tall, 1 ft. spread

Unusual pale pink bracts surround nectar rich yellow and purple spotted flowers making this plant an eye-catcher. Deer resistant due to aromatic leaves. A short-lived perennial for well-drained or sandy sites.

RIDDELL'S GOLDENROD

Oligoneuron riddellii



Full sun-part shade, Mesic-wet Flowers Sept.-Oct., 3-4 ft. tall, 1 ft. spread

An uncommon, hard to find goldenrod that thrives in sunny wet areas. This plant produces dense, flat to slightly-rounded clusters of yellow flowers that attract an abundance of pollinators.

STIFF GOLDENROD

UPL, 8

Oligoneuron rigidum



Full sun, Dry-mesic Flowers Aug.-Sept., 3-5 ft. tall, 2 ft. spread

An ideal addition to a bird and butterfly garden, this plant is topped by bright yellow clusters of flowers in late summer. Gray-green foliage adds interest and is not favored by deer.

SCURF-PEA

[UPL], 5

Orbexilum onobrychis



Full sun-part shade, Dry-mesic Flowers June-July, 3-4 ft. tall, 2-3 ft. spread

RETURNING to sale! This plant also called scurfpea or french grass is most common in prairies and often overlooked but not by the pollinators! Small, pale blue pealike flowers are arranged in racemes late spring into summer. Colonies form by rhizomes.

FOXGLOVE BEARD-TONGUE



FAC, 2

Penstemon digitalis



Full sun-part shade, Dry-mesic Flowers June-July, 2-3 ft. tall, 1 ft. spread

A late-spring bloomer, this plant loves clay but thrives in a variety of soils. White, tubular blooms are numerous and long-lasting and favored by bees. Naturalizes well.

HAIRY BEARD-TONGUE



[UPL], 3

Penstemon hirsutus



Full sun-part shade, Dry-mesic Flowers May-June, 1-3 ft. tall, 1 ft. spread

Tubular white flowers with purple throats bring early color to the prairie garden. In late fall foliage turns deep red and handsome brown seed heads add winter interest.

[UPL], 6

Pycnanthemum incanum



Full sun-part shade, Dry-mesic Flowers July-Sept., 2-3 ft. tall, 2 ft. spread

NEW! Striking silvery white foliage on the upper stems are topped with broad clusters of pale purple tinged blooms. The plant will be abuzz with pollinators and beneficial insects nearly all summer long. Perfect at a dry woodland edge to spread!

HAIRY MOUNTAIN-MINT

[FAC], 5

Pycnanthemum pilosum



Full sun-part shade, Dry-mesic Flowers July-Sept., 2-3 ft. tall, 2 ft. spread

Fine hairs give this plant an appearance of frosted foliage which aids in deterring deer browse. Excellent ground cover in sunny to light shaded areas. Mountain mints are aromatic when crushed and has some medicinal and edible uses.

VIRGINIA MOUNTAIN-MINT

FAC, 4

Pycnanthemum virginianum



Full sun, Mesic Flowers July - Sept., 1-3 ft. tall, 2 ft. spread

The tiny white flowers cover this plant through the summer. Sturdy upright stems with fine green leaves looks stunning in combination with royal catchfly and little bluestem. Mountain mints can be root pruned to control in smaller gardens.

GRAY-HEADED CONEFLOWER



[UPL], 5

Ratibida pinnata



Full sun-part shade, Dry-mesic Flowers July-Sept., 3-5 ft. tall, 2 ft. spread

Topped with droopy, bright yellow flower petals set against black centers, the seed heads are a favorite food source for finches in fall. Tolerant of drought and clay soils.

ORANGE CONEFLOWER



FAC, 6

Rudbeckia fulgida



Full sun-part shade, Mesic-wet Flowers July-Sept., 2-4 ft. tall, 1 ft. spread

Bright yellow-orange flowers appear all summer. Excellent in plantings with mountain mints and wild bergamot. A hardy plant for clay soils.

BLACK-EYED SUSAN



Rudbeckia hirta



Full sun-part shade, Dry-mesic Flowers June-Sept., 1-3 ft. tall, 1 ft. spread

Biennial. Rich yellow flower petals contrast with black centers. Look for the abundant flowers in early summer just ahead of the other rudbeckias. Grows in a wide range of soil conditions where it will self-seed into open areas.

THREE-LOBED CONEFLOWER



FACU, 5

Rudbeckia triloba



Full sun-part shade, Dry-mesic Flowers July-Oct., 3-5 ft. tall, 2 ft. spread

Biennial or short lived perennial. This clump-forming and densely-branched plant self-sows readily and maintains its bounteous bright yellow and black flowers well into the fall. Tolerant of drought and not palatable to deer.

MAD-DOG SKULLCAP

FACW+, 3

Scutellaria lateriflora



Full sun-part shade, Mesic-wet Flowers June-Aug., 1-3 ft. tall, 1 ft. spread

RETURNING to sale! Very small blue flowers give rise to uniquely-shaped concave seed capsules that resemble skullcaps. Preferring moist soils this plant thrives in wet ditches, pond edges and wetlands. Rhizome spread is moderate.

SOUTHERN WILD SENNA



FAC+, 4

Senna marilandica



Full sun-part shade, Mesic-wet Flowers July - Aug., 3-5 ft. tall, 3 ft. spread

A great specimen plant that provides interest well into the winter with branched clusters of 1" yellow flowers and decorative, persistent seed pods. A host plant for several migratory sulphur butterflies in Ohio.

ROYAL CATCHFLY

[UPL], 8

Silene regia



Full sun, Dry-mesic Flowers June-Aug., 2-4 ft. tall, 1 ft. spread

A classic prairie plant that you must protect from deer. Topped by bright, showy 1" crimson-red flowers that are visited by hummingbirds. A standout in the prairie garden. Full sun, Dry-mesic

Flowers July-Sept., 3-9 ft. tall, 3 ft. spread

A slow-growing but long-lived plant topped with large, showy yellow flowers on stalks that can reach 9 foot tall and tolerant of poor soils. The deeply lobed leaves tend to orient north-south. Flowers are primarily pollinated by a range of bee species.



FACU. 6

[UPL], 8

Silphium perfoliatum



Full sun-part shade, Dry-mesic Flowers July-Sept., 6-8 ft. tall, 3 ft. spread

Robust tall plants with leaves fused at the stem that can hold rain water. Bright yellow flowers appear throughout the summer and the seeds are savored by finches in late summer and fall.

PRAIRIE DOCK

UPL. 8

Silphium terebinthinaceum



Full sun, Dry-mesic Flowers Aug.-Sept., 2-10 ft. tall, 3 ft. spread

Have you ever been licked by a cow? The huge leaves are the same texture as a cow's tongue! A must have for any large prairie planting. The mid-summer yellow flowers appear on flower stalks reaching above the tallest prairie grasses.

STOUT BLUE-EYED-GRASS

FACW-, 2

Sisyrinchium angustifolium



Full sun-part shade, Mesic-wet Flowers May-July, 0.5-1 ft. tall, Under 1 ft. spread

A short-lived perennial with delicate blue flowers with bright yellow centers are a favorite of pollinators. Fine grass-like foliage forms clumps that work great for borders especially in moist soils of poor fertility.

BLUE-STEMMED GOLDENROD

FACU, 5

Solidago caesia



Full sun-part shade, Dry-mesic Flowers Sept.-Oct., 1-3 ft. tall, 1 ft. spread

An unusual, shade-tolerant goldenrod with delicate flower clusters at the base of the leaves along the stem as well as an inflorescence at the top. A strong-stemmed, beautiful addition to the autumn scene.

Full sun-full shade, Dry-mesic Flowers Aug.-Oct., 1-3 ft. tall, 2 ft. spread

A shade-loving goldenrod with bright yellow flowers that cluster along the zig-zag stem, adding splashes of color to woodland and shade plantings in fall.

GRAY GOLDENROD

[UPL], 2

FACU, 5

Solidago nemoralis



Full sun-part shade, Dry-mesic Flowers Aug.-Sept., 2-3 ft. tall, 1 ft. spread

A compact well-behave goldenrod slowly spreading by rhizomes whose small size makes it ideal for small prairie gardens. Unique for its gray-green foliage, it will also tolerate very dry conditions and attract pollinators.

ELM-LEAVED GOLDENROD

[UPL], 5

Solidago ulmifolia



Part-full shade. Drv-mesic Flowers Aug.-Sept., 2-4 ft. tall, 1-2 ft. spread

Arching panicles burst of yellow flowers late season full of nectar and pollen attracting bees, wasp, and flies. Top of the herbaceous list for a self-seeding alternative to honeysuckle at the woodland edge. Birds feed on seeds into the winter.

HEART-LEAVED ASTER



[UPL], 4

Symphyotrichum cordifolium



Part-full shade, Dry-mesic Flowers Aug.-Oct., 2-4 ft. tall, 1 ft. spread

Wildlife feeds on its seeds which develop from dense clusters of pale blue flowers in the fall. A bird magnet! Also attracting butterflies and bees while in flower.

SMOOTH ASTER



UPL. 6

Symphyotrichum laeve



Full sun-part shade, Dry-mesic Flowers Aug.-Oct., 2-4 ft. tall, 2 ft. spread

Billowing 1"-wide blue and yellow flower heads appear in loose panicles and feed the bees and butterflies in fall. This tough, adapatable species is tolerant of drought and salt and features lovely, smooth blue-gray leaves.

NEW ENGLAND ASTER

FACW-, 2

Symphyotrichum novae-angliae



Full sun-part shade, Mesic-wet Flowers Aug.-Oct., 3-5 ft. tall, 2 ft. spread

A showy late-bloomer topped by clusters of bright purple flower heads with yellow disks. Plant this in combination with goldenrods for fantastic fall color. An excellent nectar source for monarchs in migration.

SHORT'S ASTER



[UPL], 4

Symphyotrichum shortii



Part-full shade, Dry-mesic Flowers Aug.-Oct., 1-4 ft. tall, 1 ft. spread

Late summer blooms kick-off the spectacular season of asters and goldenrods. This clay-tolerant plant is perfectly suited to dry woodland habitats. Similar to heart-leaved aster but devoid (or nearly so) of teeth along the leaf edge.

ARROW-LEAVED ASTER



[UPL], 3

Symphyotrichum urophyllum



Full sun-full shade, Dry-mesic Flowers Aug.-Oct., 2-4 ft. tall, 1-2 ft. spread

An aster powerhouse for insects both in the rich nectar and pollen resources but also leaves feed a wide assemblage of insect larvae and adults (moths, leaf hoppers, leaf beetles, grasshoppers). Pale purple flowers are late season delights.

AMERICAN GERMANDER

FACW-, 3

Teucrium canadense



Full sun-part shade, Mesic Flowers June-Sept., 1.5-3 ft. tall, 3 ft. spread

A stout, hollow stemmed mint with attractive foliage spreads by rhizomes. In the summer, narrow upright terminal clusters of white to light lavendar flowers with purple at the base attract a wide range of nectar and pollen seeking insects.

OHIO SPIDERWORT

FAC, 5

Tradescantia ohiensis



Full sun-part shade, Dry-mesic Flowers June-July, 2-3 ft. tall, 2 ft. spread

Sturdy blue-green stems and thin leaves are topped by gorgeous clusters of blue flowers with striking bright yellow anthers. Flowers open in the morning and on cloudy days, and close in hot sun.

HOARY VERVAIN



[UPL], 3

Verbena stricta



Full sun, Dry Flowers July-Sept., 1-3 ft. tall, 1 ft. spread

A short-lived perennial with showy purple flower spikes bloom from the bottom up and provide color in mid to late summer. Thrives in poor soil and is drought-tolerant. Attracts butterflies, and provides winter food for cardinals and juncos.

HAIRY WINGSTEM



[UPL], 5

Verbesina helianthoides



Full sun-part shade, Dry-mesic Flowers June-July, 3-5 ft. tall, 1 ft. spread

Also known as ozark flatseed sunflower, covered in bright yellow blooms in late spring and early summer. Foliage is covered in fine white hairs giving it a fuzzy appearance and making it less attractive to deer.

TALL IRONWEED



FAC, 2

Vernonia gigantea



Full sun-part shade, Mesic-wet Flowers July-Sept., 5-8 ft. tall, 3 ft. spread

Stunning magenta flowers that pop in late summer through fall. Butterflies can't resist this plant and deer don't browse on it. Great in combination with native grasses and coneflowers.

CULVER'S-ROOT

FACU, 7

Veronicastrum virginicum



Full sun-part shade, Dry-mesic Flowers July-Aug., 3-5 ft. tall, 2 ft. spread

A tall and sturdy-stemmed plant with dark green whorls of leaves and tall spikes of white flowers. Handsome in combination with little bluestem and royal catchfly.

GOLDEN ALEXANDERS



FAC, 6

Zizia aurea



Full sun-part shade, Mesic-wet Flowers April-June, 2-3 ft. tall, 1 ft. spread

Broad yellow flower heads in late spring to early summer give a lacy appearance and attract beneficial insects. Self seeds in moist woods and open meadows. A host plant for the black swallowtail.

GRASSES & SEDGES

BIG BLUESTEM



FAC, 5

Andropogon gerardii



Full sun-part shade, Dry-mesic Flowers July-Oct., 4-8 ft. tall, 2 ft. spread

The king of the prairie, this grass will thrive in a variety of soil types. The "turkey-foot" flower head is instantly recognizable, and the leaves and stem turn bronze-red in late fall for winter interest.

SIDE-OATS GRAMA GRASS



[UPL], 8

Bouteloua curtipendula



Full sun, Dry-mesic Flowers July - Aug., 2-3 ft. tall, 1 ft. spread

A smaller, shade-intolerant grass that is perfect for a small home prairie patch, but tolerant of poor soils and black walnuts. Noted for its distinctive seed stalks with tiny seeds lining one side of the stem.

FRINGED SEDGE



[OBL], 3

Carex crinita



Full sun-full shade, Wet Flowers May, 2-3 ft. tall, 1 ft. spread

Fringed sedge has striking green-beige flowers on long, drooping inflorescences and spectacular seedheads. This is a terrific choice for a sunny wet prairie to a shady damp woodland gardens and fibrous roots stablize soil.

GRAY'S SEDGE



Carex grayi



Full sun-full shade, Mesic-wet Flowers April-May, 2-3 ft. tall, 1 ft. spread

If you're considering sedges, this is a spectacular one! Its green spring flowering head and brown fall seed head looks like a medieval mace. Good addition to rain gardens and unpalatable to deer. A host plant for several moth and butterfly species.

ROSE SEDGE

[UPL], 3

Carex rosea



Part-full shade, Dry-mesic Flowers May, Up to 1 ft. tall, Under 1 ft. spread

A fine textured clump sedge of deep green foliage in dry woodlands especially along path light openings. Star-like seedheads in late spring and are eaten by song birds and not by deer. As a groundcover adds winter interest to a shade garden.

WILD RIVER OATS



Chasmanthium latifolium



Full sun-full shade, Dry-mesic Flowers Aug.-Oct., 2-3 ft. tall, 2 ft. spread

This grass has even larger, showier seeds than most natives and makes an excellent addition to dried arrangements. Striking when used along a woodland border and will grow underneath black walnuts.

AMERICAN BEAK GRASS

[FAC+], 7

Diarrhena americana



Part-full shade, Mesic Flowers June-July, 1-3 ft. tall, 1 ft. spread

A shade-tolerant woodland grass species of glossy green broad leaves turns golden for season long interest. The drooping spikelets develop tiny beak-shaped fruit that are consumed by turkey and other wildlife.

BOTTLEBRUSH GRASS



UPL, 4

Elymus hystrix



Part-full shade, Dry-mesic Flowers June-July, 2-4 ft. tall, 2 ft. spread

The whispy bottlebrush-shaped seed heads appear in summer and persist through the fall. Excellent plant for shaded dry areas as a back drop for other woodland wildflowers.

PURPLE LOVE GRASS



[UPL], 2

Eragrostis spectabilis



Full sun-part shade, Dry Flowers Sept.-Oct., 1-2 ft. tall, 2 ft. spread

This deer resistant grass grows in dense tufts low to the ground on sandy and poor soil sites. In late summer airy clouds of soft reddish-purple flowers appear fading to brown that will break away like tumbleweeds.

FOWL MANNA GRASS

OBL, 2

Glyceria striata



Full sun-full shade, Mesic-Wet Flowers May-Aug., 2-4 ft. tall, 1-2 ft. spread

A grass for full sun to full shade sites with medium to wet soils providing valuable habitat for wildlife. It is known to support up to 11 different insect species and deer tend to pass it by. Fibrous root systems could help stabilize streambanks.

Panicum virgatum Cephalanthus occidentalis



Full sun-part shade, Dry-mesic Flowers Aug.-Sept., 4-5 ft. tall, 2 ft. spread

This lacy-topped native grass is a great alternative to nonnative ornamental grasses. Switch grass is often used to enhance habitat and soil conservation. Not as tall as Indian grass, but they grow well together and adapt to various soil conditions.

LITTLE BLUESTEM

FACU-. 5

Schizachyrium scoparium



Full sun-part shade. Dry-mesic Flowers Aug.-Oct., 2-4 ft. tall, 2 ft. spread


A clump-forming, classic prairie grass with fine blue-green foliage that turns reddish in the fall. Works well as a specimen plant or among a collection of forbs in a naturalistic arrangement.

INDIAN GRASS



UPL. 5

Sorghastrum nutans



Large golden seed heads resemble flames when they emerge and as they open make a gorgeous late season display. Fast growing and reliable on any well-drained soil.

PRAIRIE DROPSEED



[UPL], 8

Sporobolus heterolepis



Full sun-part shade, Dry-mesic Flowers July-Sept., 2-3 ft. tall, 1 ft. spread

A low-growing specimen plant with very numerous thin leaves that flow outward from the center like a green fountain. Fantastic as an edge plant, where it can neatly delineate your native garden. Delicate seed heads add to the fall display.

SHRUBS & VINES

PAWPAW

FACU+. 6

Asimina triloba



Full sun-full shade, Mesic Flowers April, 15-30 ft. tall, 15-30 ft. spread

An understory multi-stemmed woodland species that tolerates full sun conditions. Glossy green foliage appears as the maroon flowers fade in spring. Small banana-like fruits are favored by wildlife and humans in the fall.

BUTTONBUSH



Full sun-full shade, Mesic-wet Flowers June-Aug., Up to 15 ft. tall, 5-8 ft. spread

A large shrub that attracts pollinators to spherical, white flower clusters and host some silk and sphinx moth species. Drooping seeds add winter interest. Add this shrub to a stream or pond's edge or in rich, medium garden soils where it can be pruned.

FLOWERING DOGWOOD

FACU-. 5

OBL. 6

Cornus florida



Part-full shade. Drv-mesic Flowers April-May, 15-30 ft. tall, 8-10 ft. spread

A signature understory tree of Ohio woodlands with white spring petal-like bracts and bright autumn leaf colors. The red autumn fruits are favored by birds. Healthy, appropriately placed trees can resist disease.

AMERICAN HAZELNUT

FACU-. 4

Corylus americana



Full sun-part shade, Dry-mesic Flowers March, Up to 12 ft. tall, 10-15 ft. spread

A beautiful addition to an edible landscape with dense foliage and stunning fall color. Mature plants produce hazelnuts, a favorite for people and wildlife. Wind pollinated, so plant more than one.

SHRUBBY CINQUEFOIL

FACW, 10

Dasiphora fruticosa



Full sun-part shade, Mesic-wet Flowers July-Sept., Up to 4 ft. tall, 2-3 ft. spread

A small, compact deciduous shrub with yellow flowers that attract butterflies. One of the longest bloom periods of our native shrubs. Deer resistant and low-maintenance preferring moist soils.

WILD HYDRANGEA

FACU. 7

Hydrangea arborescens



Part shade, Mesic Flowers June-Sept., 3-5 ft. tall, 3-5 ft. spread

RETURNING to sale! A loose multi-stemmed moundshape shrub in medium soils in part shade conditions. Clusters of flat-topped delicate, greenish-white flowers provide striking landscape interest during the summer months.



Full sun-part shade, Dry-mesic Flowers June-Aug., Up to 4 ft. tall, 3-5 ft. spread

An attractive specimen shrub with showy masses of ballshaped, bright yellow flowers. Dark green leaves and pale orange bark add appeal. Excellent for honeybees and a host for gray hairstreak caterpillars.

SPICEBUSH

FACW-, 5

Lindera benzoin



Part-full shade, Mesic Flowers Mar.-Apr., 6-8 ft. tall, 6-12 ft. spread

An aromatic, deciduous shrub with profuse yellow flowers that bloom in spring before leaves emerge. Great as a replacement for bush honeysuckle. Host plant for Eastern tiger and spicebush swallowtails.

NINEBARK

FACW-, 4

Physocarpus opulifolius



Full sun-part shade, Mesic-wet Flowers May-June, Up to 10 ft. tall, 3-6 ft. spread

A thicket-forming deciduous shrub with ball-shaped clusters of white flowers. As flowers fade the seed pods turn pink-red and eventually to golden brown. Exfoliating bark adds winter interest.

AMERICAN PLUM



FACU-, 3

Prunus americana



Full sun-part shade, Dry-mesic Flowers April, 10-12 ft. tall, 6-12 ft. spread

RETURNING to sale! This shrub forms thorny thickets great for nesting, loafing and roosting birds in open areas or woodland edges. Small white flowers emerge before the deep green foliage in early spring. Tasty fruit typically ripens in early August.

HOP-TREE

FAC. 5

Ptelea trifoliata



Full sun-part shade, Dry-mesic Flowers April-May, Up to 20 ft. tall, 10-15 ft. spread

Aromatic shrub with a slightly lemon-like scent. Distinctive winged fruits used to be a substitute for hops in brewing. Host plant for giant swallowtail butterflies. Established plants are tolerant of drought, shade and salt!

CLIMBING PRAIRIE ROSE

Rosa setigera



Full sun-part shade, Dry-mesic Flowers June-July, Up to 12 ft. tall, Up to 10 ft. spread

Features long arching canes that can fill a large area with lush foliage. Strong-scented flowers emerge late in the rose season. A favorite for butterflies, this rose also provides a nesting site for birds.

COMMON ELDERBERRY

FACW-, 3

Sambucus canadensis



Full sun-part shade, Mesic-wet Flowers June, 6-12 ft. tall, 6-12 ft. spread

A multi-stemmed shrub ideal for moist soils. Large white umbel-shaped blooms cover the shrub in early summer. The dark purple edible fruits can be used in preserves, wines and herbal remedies.

MEADOW-SWEET



Spiraea alba



Full sun-part shade, Mesic-wet Flowers July-Sept., 3-4 ft. tall, 3-5 ft. spread

The native spirea's summer blooms are clusters of tiny white blooms that attract pollinators and is a host for the azure butterfly. An upright 4' tall shrub thrives at stream and pond banks or as a hedge in damp soils. Fall foliage turns yellow.

AMERICAN BLADDERNUT

FAC. 6

Staphylea trifolia



Part-full shade. Drv-mesic Flowers April-May, Up to 15 ft. tall, 6-12 ft. spread

A thicket-forming shrub with soft, white bell-shaped flowers in the spring. Ornate Chinese lantern-shaped seed pods add fall and winter interest. Tolerant of heavy clay, shallow rocky soils and drought.

CORALBERRY

UPL. 3

Symphoricarpos orbiculatus



Full sun-part shade, Dry-mesic Flowers June-July, 2-5 ft. tall, Up to 6 ft. spread

Attractive purplish red berries add interest to a garden through the fall and winter months. Spreads by runners to form thickets. Tolerant of dry and clay soils and seldom bothered by deer.

Land Stewardship at Mount Saint John

MEEC stewards
more than 100 acres
at Mount St. John,
including the 62-acre
Marianist Nature
Preserve which is
permanently protected
with a conservation
easement held by
our partners at the
Tecumseh Land Trust.



The preserve features the Bro. Don Geiger Eastern Tallgrass prairie, planted in 1986, as well as oak-hickory and oak-maple woodlands, and restored and created wetlands.



We maintain one of the region's oldest native plant nurseries, which protects nearly 400 local-genotypes of our region's native species. We also tend a native plant labyrinth and the *Sacred Embrace* earthwork. With MSJ Facilities we care for a newly-

installed solar prairie and demonstration native plant garden beds located throughout the central campus.

For Worship Communities

We offer tailored **support for local worship communities** stewarding their land to create habitat, protect ecosystem services, and honor the teaching of their traditions. On-site consultations are available to congregations of any tradition or denomination. Staff members can assess your site and offer technical advice on existing habitat, trouble-shoot problem areas, give guidance on invasive species control

and alternatives, and help you select which plants will meet your landscape goals. Email info@meec.center.

Low-income urban worship communities are invited to apply to our **Urban Pollinator Fund**, which supplies technical advice, training and plants at reduced or zero cost. For details on the application process or to support the fund, email info@meec.center.

Volunteers & Programs

Our **volunteers** help collect and clean seeds, control invasives, transplant natives into the preserve, prepare for the plant sale and manage our formal plantings. Volunteering is a great way to meet other native plant



enthusiasts and learn valuable skills you can put to use on your own property. Service learning opportunities for students can be arranged.

We offer **public and custom programs** on native plants, rain gardens, ecological restoration, habitat creation, environmental justice, sustainability, and ecological spirituality. For an up-to-date calendar of our offerings, including seasonal retreats and nature hikes, visit https://meec.center and select "calendar." To discuss having one of our staff members speak to your church or other group, email info@meec.center.

The support of our Friends of MEEC donor program makes all of our work possible. We welcome your support at https://meec.center/donate.